



"drag and drop" and "linked list"

1990

- 2001

Search

Ad  
Sct  
Sct

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Scholar**

Results **1 - 10** of about **38** for **"drag and drop"** and **"linked list"** . (0.25 seconds)

[A feature model editor and process planning system for sheet metal products - group of 5 »](#) [All articles](#) [Recent articles](#)

JX Gao, YS Tang, R Sharma - Journal of Materials Processing Technology, 2000 - graco.unb.br

... The features can also be repositioned within a part using the **drag-and-drop** operation. ... The data structure is a **linked list** of pointers. ...

[Cited by 5](#) - [View as HTML](#) - [Web Search](#)

[The Moose: A Haptic User Interface for Blind Persons - group of 5 »](#)

MS O'Modhrain, B Gillespie - Proc. of the World Wide Web Conference, 1997 - www.ccrma.stanford.edu

... we can truly represent the **"drag and drop"** metaphor by increasing the apparent mass of the ... and icon names, about each of the icons it finds in a **linked list**. ...

[Cited by 7](#) - [Cached](#) - [Web Search](#)

[MVP: Model-View-Presenter. The Taligent Programming Model for C++ and Java - group of 3 »](#)

»

M Potel - Taligent, Inc, 1996 - mayn.de

... the underlying data structures in my model, for example, a **linked list** for more ... rich set of mouse interactors like menu selections, **drag and drop**, button and ...

[Cited by 8](#) - [View as HTML](#) - [Web Search](#)

[PPT: a COTS integration case study - group of 3 »](#)

LD Balk, A Kedia - Proceedings of the 22nd international conference on Software ..., 2000 - portal.acm.org

... The user interface was generated automatically by **drag and drop** methods. ... scan the requests, placing only the name of the resource manager into a **linked list**. ...

[Cited by 5](#) - [Web Search](#) - [BL Direct](#)

[Visualizing programming in recursion and linked lists](#)

CC Wu, GC Lee, JMC Lin - Proceedings of the 3rd Australasian conference on Computer ..., 1998 - portal.acm.org

... changes of the **linked-list** structure during program execution ... quite sophisticated graphical user interfaces through the ability to **drag and drop** various widgets ...

[Cited by 2](#) - [Web Search](#)

[book Core Java 2](#)

CS Horstmann, G Cornell - 2001 - books.google.com

... References, 722 Transferring Java Objects via the System Clipboard, 729 **Drag and Drop**, 734 Drop ... an element from an array, 125 2-5: A doubly **linked list**, 126 2-6 ...

[Cited by 60](#) - [Web Search](#) - [Library Search](#)

[Multimedia delivery of computer programming subjects: basing structure on instructional design](#)

W Doube - Proceedings of the third Australasian conference on Computer ..., 1998 - portal.acm.org

... Figure 4 illustrates the process of using **drag-and-drop** operations to construct a **linked list**. Relevant and motivating feedback is provided. ...

[Cited by 2](#) - [Web Search](#)

Cliche recognition in legacy software: a scalable, knowledge-based approach - group of 2 »

S Palthepu, JE Greer, GI McCalla - Reverse Engineering, 1997. Proceedings of the Fourth Working ..., 1997 - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)

... KARE has the **drag-and-drop** facility to reorder the agenda items (shown in left ... shows a portion of the code highlighted when the **linked list** item is clicked on. ...

[Cited by 12](#) - [Web Search](#)

book Voice Communication Across the Internet: A Network Voice Terminal - group of 5 »

H Schulzrinne - 1992 - [an.kaist.ac.kr](http://an.kaist.ac.kr)

... is planned. It is also planned to extend the **drag-and-drop** mechanism of the windowing system to playing sound les. The distribution ...

[Cited by 138](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Removing clones from the code - group of 7 »

R Fanta, V Rajlich - Journal of Software Maintenance Research and Practice, 1999 - [doi.wiley.com](http://doi.wiley.com)

... Clones in Figures 8–10 update items stored in a **linked list** and share ... Among the features implemented in the Refactory is a **drag-and-drop** function that can be ...

[Cited by 15](#) - [Web Search](#) - [BL Direct](#)

Goooooogle ►

Result Page:    1   [2](#)   [3](#)   [4](#)    [Next](#)

"drag and drop" and "linked list"

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



"drag and drop" and "linked list"

1990

- 2001

Search

Adv  
Sch  
Sch

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Scholar**

Results **11 - 20** of about **38** for **"drag and drop"** and **"linked list"** . (0.13 seconds)

Multimodal interaction with a map-based simulation system - group of 4 » [All articles](#) [Recent articles](#)

K Wauchope - Navy Center for Applied Research in Artificial Intelligence ..., 1996 - aic.nrl.navy.mil  
... intersections) and BEFORE and AFTER slots (join- ing road segments into a **linked list** representing an entire road). These connections ...  
[Cited by 5](#) - [View as HTML](#) - [Web Search](#)

Two Eiffel Implementations

D Wilder - Linux Journal, 1995 - portal.acm.org  
... Debug uses the same **drag and drop** technique used elsewhere ... For example, to traverse a **linked list**, drag its root object to an object tool, then repeatedly drag ...  
[Web Search](#)

Farewell to Fortran

JF Blinn - Computer Graphics and Applications, IEEE, 1994 - ieeexplore.ieee.org  
... For example, a **linked list** of points would look like c Define POINT type ... I wrote back in the '60s used event-driven programming, **drag-and-drop**—all the ...  
[Web Search](#)

Lessons Learned with Eiffel 3: the K2 Project»

P Lahire, JM Jugant - Ege R., Singh M., Meyer B., International Conference on ..., 1995 - www-iutinfo.unice.fr  
... browser would im- prove the speed (avoiding the **drag-and-drop** operations), ie one ...  
programmer uses several level of genericity, eg **linked list** [tree [persistent ...  
[Cited by 3](#) - [View as HTML](#) - [Web Search](#)

Network Simulation Environment (NSE): A Generic Framework for Network Graphs - group of 2 »

GSA Hura, TA Srikanthan, CCA Yong - Telecommunication Systems, 2001 - Springer  
... Two **linked-list** are used to store the pointers of the selected objects. ... All objects are created and manipulated using **drag and drop** technique, which are both ...  
[Web Search](#) - [BL Direct](#)

Software environment support for integrated formal programspecification and development - group of 5 »

JC Grundy, JG Hosking - Software Engineering Conference, 1995. Proceedings., 1995 ..., 1995 - ieeexplore.ieee.org  
Page 1 0-8186-7171-8/95 \$04.00 © 1995 IEEE 264 Software environment support for integrated formal program specification and development John C. Grundyt and ...  
[Cited by 1](#) - [Web Search](#)

GTK+/Gnome application development

H Pennington - 1999 - devernay.free.fr  
... 190 **Drag and Drop** Events.....191 Proximity Events ...  
[Cited by 27](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Discrete-Event Simulation

GS Fishman - 2001 - books.google.com

Page 1. Springer Series in Operations Research George S. Fishman Springer Page 2.

Springer Series in Operations Research Editors: Peter Glynn Stephen M. Robinson ...

[Cited by 37](#) - [Web Search](#)

### [\[PS\] Quantum System Simulator](#)

S Schneider - 2000 - mit.edu

... (See Figure 3-4.) CEnvWrapper is a **linked list** of CEnvironment objects. ... in a **linked list**, the value closest to the beginning is the appropriate one. ...


[Cited by 1](#) - [View as HTML](#) - [Web Search](#)

### [Programming in BlackBox](#)

S Warford - Prepublication, Pepperdine University, 1996 - oberon2005.ru

... Pointer data types 453, Pointer assignments 455, Using pointers 457, Linked lists 459, Class assignments 464, A circular **linked list** ADT 467, A circular doubly ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



"drag and drop" and "linked list"

1990

- 2001

Search

Ad  
Sch  
Sch

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Scholar**

Results **21 - 30** of about **38** for **"drag and drop" and "linked list"** . (0.29 seconds)

[Graphical programming of time-deterministic real-time systems - group of 5 »](#)

[All articles](#) [Recent articles](#)

PA Wiberg - Engineering of Complex Computer Systems, 1996. Proceedings., ..., 1996 - doi.ieeecomputersociety.org

... and places it on the desired place on the time scale using a **drag-and-drop** technique. ...

The execution thread of the cycle forms a **linked list** of code blocks. ...

[Web Search](#)

[Software Visualization Generation Using Animal Script - group of 4 »](#)

G Röbling, B Freisleben - Informatik/Informatique, Special Issue on Visualization of ..., 2001 - upgrade-cepis.org

... from the underlying code, eg a stack implemented using a **linked list** might not ... using

the mouse with standard features such as a grid and **drag and drop** support. ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

[Efficiency of data structures for detecting overlaps in digital documents - group of 6 »](#)

K Monostori, A Zaslavsky, H Schmidt - Australian Computer Science Communications, 2001 - doi.ieeeecs.org

... form, which makes plagiarism achievable by cut-and-paste or **drag-and-drop** operations. ...

A **linked list** would also be prohibitive because from the root there would ...

[Cited by 5](#) - [Web Search](#) - [BL Direct](#)

[Codesign of graphics hardware accelerators - group of 2 »](#)

JP Ewins, PL Watten, M White, MDJ McNeill, PF ... - Proceedings of the ACM SIGGRAPH/EUROGRAPHICS workshop on ..., 1997 - portal.acm.org

... and popped off the stack as needed. This is basically a **linked list** class

structure. Pseudo data type independence is achieved by ...

[Cited by 7](#) - [Web Search](#)

[The WALKTHRU editor: towards realistic and effective interaction with virtual building environments - group of 3 »](#)

RW Bukowski - 1995 - eeecs.berkeley.edu

Page 1. The WALKTHRU Editor: Towards Realistic and Eective Interaction with

Virtual Building Environments Richard Bukowski Master's ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[DESIGNING AND IMPLEMENTING THE DTD INFERENCE ENGINE FOR THE I-WIZ PROJECT](#)

H GUO - 2000 - etd.fcla.edu

... Engine and a three-dimensional **linked list** data structure for representing the inferred DTD internally. ... query language independent, **drag-and-drop** fashion. ...

[Cited by 3](#) - [View as HTML](#) - [Web Search](#)

[Programming for pervasive computing environments - group of 13 »](#)

R Grimm, J Davis, E Lemar, A MacBeth, S Swanson, S ... - University of Washington Technical Report UW-CSE-01-06-01, ..., 2001 - carfield.com.hk

Page 1. Programming for Pervasive Computing Environments ROBERT GRIMM,

JANET DAVIS, ERIC LEMAR, ADAM MACBETH, STEVEN SWANSON, TOM ...

[Cited by 62](#) - [View as HTML](#) - [Web Search](#)

**bookj Authorware 6(Inside Macromedia)**

SJ Wilson - 2001 - books.google.com

... 308 Practice Exercise I II: Single-target **Drag and Drop** Interaction . .

3 12 Practice Exercise 1 1-2:Multiple Target **Drag-and** ...

Cited by 4 - [Web Search](#) - [Library Search](#)

**Naming and sharing resources across administrative boundaries - group of 4 »**

V Two - 2000 - jonh.net

Page 1. Naming and sharing resources across administrative boundaries Volume

Two Software documentation and experimental data A Dissertation ...

[View as HTML](#) - [Web Search](#)

**rsj A remote monitor system for distributed applications using the soft real-time scheduler - group of 3 »**

R Geisler - 2000 - dast.nlanr.net

Page 1. cCopyright by Roland Geisler, 1999 Page 2. A REMOTE MONITOR SYSTEM FOR DISTRIBUTED APPLICATIONS USING THE SOFT REAL-TIME SCHEDULER BY ROLAND GEISLER ...

Cited by 4 - [View as HTML](#) - [Web Search](#) - [Library Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

"drag and drop" and "linked list"

**Search**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google



"drag and drop" and "linked list"

1990

- 2001

Search

Ad  
Sch  
Sch

The **"AND"** operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Scholar**

Results **31 - 38** of **38** for **"drag and drop" and "linked list"** . (0.14 seconds)

[Supporting Collaborative Awareness in Tele-immersion - group of 3 »](#) [All articles](#) [Recent articles](#)

KM Curry - 1999 - scholar.lib.vt.edu

... Modeled after the mouse, the wand is essentially a point- and-click and grab-**drag-and-drop** device. As an input device, the wand can really only be useful ...

[Cited by 10](#) - [View as HTML](#) - [Web Search](#)

[Unity-A Database Integration Tool - group of 2 »](#)

R Lawrence, K Barker - TRILabs Emerging Technology Bulletin, December, 2000 - cs.uiowa.edu

... structure is functionally a tree, although it is implemented as a **linked-list** of node ... CLeftView allows in-place renaming, and **drag-and-drop** movement of nodes. ...

[Cited by 5](#) - [View as HTML](#) - [Web Search](#)

[Ubiquitous Computing: Extending Access To Mobile Data - group of 7 »](#)

MD Pinkerton - 1997 - gvu.gatech.edu

... integration of web content as simple as **drag and drop**. ... allows **drag and drop** integration of mobile content into desktop content without ...

[Cited by 5](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[\[book\] C# Primer: A Practical Approach](#)

SB Lippman - 2001 - books.google.com

... Chapters 6 and 7 cover, in turn, **drag-and-drop** Windows Forms and Web Forms development. Chapter 7 focuses on ASP.NET, and the Web page life cycle. ...

[Cited by 7](#) - [Web Search](#) - [Library Search](#)

[An Optimized Hardware Architecture and Communication Protocol for Scheduled Communication - group of 4 »](#)

D Shoemaker - 1997 - lcs.mit.edu

Page 1. An Optimized Hardware Architecture and Communication Protocol for Scheduled Communication by David Shoemaker SB, SM Electrical ...

[Cited by 1](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[A General Model for Component-based Software - group of 2 »](#)

B Song - 2000 - users.cs.dal.ca

... For example, it is realized by using templates in C++. A type of element in a **linked list** can use templates to allow the programmer ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

[Windows CE-the best choice in handheld systems for the corporate mobile work force](#)

SJ Mastrianni - 1998 - mastrianni.net

Page 1. Windows CE - the best choice in handheld systems for the corporate mobile work force. A Thesis Presented to the Faculty of the ...


[Cited by 1](#) - [View as HTML](#) - [Web Search](#)

[\[book\] Mastering Prolog](#)

R Lucas - 1996 - keylinkcomputers.co.uk

Page 1. Contents 1 MASTERING PROLOG Robert J Lucas Includes Prolog for PC (DOS and Windows 3.1) Page 2. 2 Contents Page 3. Contents 3 CONTENTS CONTENTS 3 FORWARD ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2006 Google